



HOYT
WIRE CLOTH

PO Box 4647 Lancaster, PA 17604
(717) 394-6871 Fax: (717) 394-1640
www.hoytwirecloth.com

The *Shape*
of things to come™

W-WHEEL
P-PRESS
D-DOUBLE CRIMP
I-INNER CRIMP
H-HI-LOW CRIMP
S-SMOOTHTOP

CODE: 1 SUPERTOUGH SQUARE SCREENS
4 SUPERTOUGH SQUARE STOCK SCREENS
5 STAINLESS STEEL SQUARE SCREENS

OPEN	WIRE DIA	MM	% OPEN AREA	CRIMP TYPE
5/64"	0.063	2	30.6	W-D
5/64"	0.072	2	27.1	W-D
3/32"	0.063	2.4	35.8	W-D
3/32"	0.072	2.4	32	W-D
3/32"	0.080	2.4	29.1	W-D
7/64"	0.063	2.8	40.2	W-D
7/64"	0.072	2.8	36.3	W-D
7/64"	0.080	2.8	33.3	W-D
7/64"	0.092	2.8	29.4	W-D
1/8"	0.047	3.2	52.8	W-D
1/8"	0.063	3.2	44.2	W-D
1/8"	0.072	3.2	40.3	W-D
1/8"	0.080	3.2	37.2	W-D
1/8"	0.092	3.2	33.2	W-D
1/8"	0.105	3.2	29.5	W-D
17/128"	0.063	3.4	45.5	W-D
9/64"	0.063	3.6	47.7	W-D
9/64"	0.072	3.6	43.7	W-D
9/64"	0.080	3.6	40.6	W-D
9/64"	0.092	3.6	36.5	W-D
9/64"	0.105	3.6	32.8	W-D
9/64"	0.120	3.6	29.1	W-D
5/32"	0.054	4	55.2	W-D
5/32"	0.063	4	51.2	W-D
5/32"	0.072	4	48.1	W-D
5/32"	0.080	4	43.5	W-D
5/32"	0.092	4	39.9	W-D
5/32"	0.105	4	36.9	W-D
5/32"	0.120	4	32.2	W-D
11/64"	0.063	4.4	53.5	W-D
11/64"	0.072	4.4	49.7	W-D
11/64"	0.080	4.4	46.6	W-D
11/64"	0.092	4.4	42.4	W-D
11/64"	0.105	4.4	38.5	W-D
3/16"	0.054	4.7	60.3	W-D
3/16"	0.063	4.7	56	W-D
3/16"	0.072	4.7	52.2	W-D
3/16"	0.080	4.7	49.1	W-D
3/16"	0.092	4.7	45.1	W-D
3/16"	0.105	4.7	41.1	W-D
3/16"	0.120	4.7	37.2	W-D
3/16"	0.135	4.7	33.8	W-D

OPEN	WIRE DIA	MM	% OPEN AREA	CRIMP TYPE
13/64"	0.063	5.2	58.3	W-D
13/64"	0.072	5.2	54.5	W-D
13/64"	0.080	5.2	51.5	W-D
13/64"	0.092	5.2	47.4	W-D
13/64"	0.105	5.2	43.5	W-D
13/64"	0.120	5.2	39.5	W-D
13/64"	0.135	5.2	36.1	W-D
7/32"	0.063	5.5	60.3	W-D
7/32"	0.072	5.5	56.6	W-D
7/32"	0.080	5.5	53.6	W-D
7/32"	0.092	5.5	49.6	W-D
7/32"	0.105	5.5	45.7	W-D
7/32"	0.120	5.5	41.7	W-D
7/32"	0.135	5.5	38.2	W-D
7/32"	0.148	5.5	35.6	W-D
15/64"	0.080	6	55.6	W-D
15/64"	0.105	6	47.7	W-D
15/64"	0.148	6	37.6	W-D
1/4"	0.047	6.4	70.9	W-D
1/4"	0.063	6.4	63.8	W-D
1/4"	0.072	6.4	60.3	W-D
1/4"	0.080	6.4	57.4	W-D
1/4"	0.092	6.4	53.4	W-D
1/4"	0.105	6.4	49.6	W-D
1/4"	0.120	6.4	45.6	W-D
1/4"	0.135	6.4	42.2	W-D
1/4"	0.148	6.4	39.4	W-D
1/4"	0.162	6.4	36.8	W-D
17/64"	0.063	6.7	65.3	W-D
17/64"	0.092	6.7	55.2	W-D
9/32"	0.072	7.1	63.4	W-D
9/32"	0.080	7.1	60.6	W-D
9/32"	0.092	7.1	56.8	W-D
9/32"	0.105	7.1	53	W-D
9/32"	0.120	7.1	49.1	W-D
9/32"	0.135	7.1	45.7	W-D
9/32"	0.162	7.1	40.3	W-D
19/64"	0.063	7.5	68.1	W-D
19/64"	0.072	7.5	64.8	W-D
19/64"	0.105	7.5	54.6	W-D



PO Box 4647 Lancaster, PA 17604
 (717) 394-6871 Fax: (717) 394-1640
 www.hoytwirecloth.com

HOYT
 WIRE CLOTH

The *Shape*
 of things to come™

W-WHEEL
 P-PRESS
 D-DOUBLE CRIMP
 I-INNER CRIMP
 H-HI-LOW CRIMP
 S-SMOOTH TOP

CODE: 1 SUPERTOUGH SQUARE SCREENS
 4 SUPERTOUGH SQUARE STOCK SCREENS
 5 STAINLESS STEEL SQUARE SCREENS

OPEN	WIRE DIA	MM	% OPEN AREA	CRIMP TYPE
5/16"	0.063	7.9	69.3	W-H
5/16"	0.072	7.9	66.1	W-H
5/16"	0.080	7.9	63.4	W-H
5/16"	0.092	7.9	59.6	W-D
5/16"	0.105	7.9	56	W-D
5/16"	0.120	7.9	52.2	W-D
5/16"	0.135	7.9	48.8	W-D
5/16"	0.148	7.9	46	W-D
5/16"	0.162	7.9	43.4	W-D
5/16"	0.177	7.9	40.8	W-D
5/16"	0.192	7.9	38.4	W-D
11/32"	0.063	8.7	71.4	W-D
11/32"	0.072	8.7	68.4	W-D
11/32"	0.080	8.7	65.8	W-D
11/32"	0.092	8.7	62.2	W-D
11/32"	0.105	8.7	58.7	W-D
11/32"	0.120	8.7	54.9	W-D
11/32"	0.135	8.7	51.6	W-D
11/32"	0.148	8.7	48.9	W-D
11/32"	0.162	8.7	46.2	W-D
23/64"	0.072	9.1	69.4	W-D
23/64"	0.092	9.1	63.4	W-D
3/8"	0.063	9.5	73.3	W-I
3/8"	0.072	9.5	70.4	W-H
3/8"	0.080	9.5	67.9	W-H
3/8"	0.092	9.5	64.5	W-H
3/8"	0.105	9.5	61	W-D
3/8"	0.120	9.5	57.4	W-D
3/8"	0.135	9.5	54.1	W-D
3/8"	0.148	9.5	51.4	W-D
3/8"	0.162	9.5	48.7	W-D
3/8"	0.177	9.5	46.1	W-D
3/8"	0.192	9.5	43.8	W-D
3/8"	0.207	9.5	41.5	W-D
3/8"	0.225	9.5	39	W-D
25/64"	0.105	10	62.1	W-D
25/64"	0.120	10	58.5	W-D
25/64"	0.192	10	45	W-D
13/32"	0.080	10.3	69.8	W-D
13/32"	0.092	10.3	66.5	W-D
13/32"	0.120	10.3	59.6	W-D
13/32"	0.148	10.3	53.7	W-D
13/32"	0.162	10.3	51.1	W-D
13/32"	0.177	10.3	48.5	W-D

17/32"	0.092	13.5	72.7	W-H
17/32"	0.105	13.5	69.7	W-D
17/32"	0.120	13.5	66.5	W-D
17/32"	0.135	13.5	63.6	W-D

OPEN	WIRE DIA	MM	% OPEN AREA	CRIMP TYPE
7/16"	0.063	11.1	76.4	W-I
7/16"	0.080	11.1	71.5	W-I
7/16"	0.092	11.1	68.3	W-D
7/16"	0.105	11.1	65	W-D
7/16"	0.120	11.1	61.5	W-D
7/16"	0.135	11.1	58.4	W-D
7/16"	0.148	11.1	55.8	W-D
7/16"	0.162	11.1	53.2	W-D
7/16"	0.177	11.1	50.7	W-D
7/16"	0.192	11.1	48.3	W-D
7/16"	0.207	11.1	46	W-D
7/16"	0.225	11.1	43.6	W-D
7/16"	0.250	11.1	40.5	W-D
15/32"	0.092	12	69.9	W-H
15/32"	0.120	12	63.4	W-D
15/32"	0.135	12	60.3	W-D
15/32"	0.148	12	57.8	W-D
15/32"	0.162	12	55.2	W-D
15/32"	0.177	12	52.7	W-D
15/32"	0.192	12	50.3	W-D
15/32"	0.207	12	48.1	W-D
15/32"	0.225	12	45.7	W-D
31/64"	0.162	12.3	56.2	W-D
31/64"	0.177	12.3	53.6	W-D
31/64"	0.192	12.3	51.3	W-D
31/64"	0.207	12.3	49.1	W-D
1/2"	0.063	12.7	78.9	W-H
1/2"	0.082	12.7	76.4	W-H
1/2"	0.080	12.7	74.3	W-H
1/2"	0.092	12.7	71.3	W-H
1/2"	0.105	12.7	68.3	W-H
1/2"	0.120	12.7	65	W-H
1/2"	0.135	12.7	62	W-D
1/2"	0.148	12.7	59.5	W-D
1/2"	0.162	12.7	57.1	W-D
1/2"	0.177	12.7	54.5	W-D
1/2"	0.192	12.7	52.2	W-D
1/2"	0.207	12.7	49.8	W-D
1/2"	0.225	12.7	47.5	W-D
1/2"	0.250	12.7	44.4	W-D

21/32"	0.207	16.7	57.8	W-D
11/16"	0.080	17.5	80.2	W-I
11/16"	0.092	17.5	77.8	W-I



PO Box 4647 Lancaster, PA 17604
 (717) 394-6871 Fax: (717) 394-1640
 www.hoytwirecloth.com

HOYT
 WIRE CLOTH

The *Shape*
 of things to come™

W-WHEEL
 P-PRESS
 D-DOUBLE CRIMP
 I-INNER CRIMP
 H-HI-LOW CRIMP
 S-SMOOTH TOP

CODE: 1 SUPERTOUGH SQUARE SCREENS
 4 SUPERTOUGH SQUARE STOCK SCREENS
 5 STAINLESS STEEL SQUARE SCREENS

OPEN	WIRE DIA	MM	% OPEN AREA	CRIMP TYPE
17/32"	0.148	13.5	61.2	W-D
17/32"	0.162	13.5	58.7	W-D
17/32"	0.177	13.5	56.3	W-D
17/32"	0.192	13.5	54	W-D
17/32"	0.207	13.5	51.8	W-D
17/32"	0.225	13.5	49.3	W-D
35/64"	0.120	13.9	67.2	W-D
9/16"	0.080	14.3	76.6	W-I
9/16"	0.092	14.3	74.3	W-H
9/16"	0.105	14.3	71.1	W-I
9/16"	0.120	14.3	67.1	W-D
9/16"	0.135	14.3	65.1	W-D
9/16"	0.148	14.3	62.6	W-D
9/16"	0.162	14.3	61	W-D
9/16"	0.177	14.3	57.6	W-D
9/16"	0.192	14.3	55	W-D
9/16"	0.207	14.3	53.4	W-D
9/16"	0.225	14.3	50.7	W-D
9/16"	0.250	14.3	47.9	W-D
37/64"	0.177	14.7	58.6	W-D
19/32"	0.135	15	66.4	W-H
19/32"	0.162	15	61.7	W-D
19/32"	0.177	15	59.3	W-D
19/32"	0.192	15	57.1	W-D
19/32"	0.207	15	55	W-D
5/8"	0.063	16	82.5	W-I
5/8"	0.080	16	78.6	W-I
5/8"	0.105	16	73.4	W-H
5/8"	0.120	16	70.3	W-H
5/8"	0.135	16	67.6	W-H
5/8"	0.148	16	65.4	W-H
5/8"	0.162	16	63.1	W-D
5/8"	0.177	16	60.7	W-D
5/8"	0.192	16	58.5	W-SD
5/8"	0.207	16	56.4	W-SD
5/8"	0.225	16	54	W-SD
5/8"	0.250	16	51	W-SD/P-S
5/8"	0.312	16	44.4	W-D/P-S
41/64"	0.207	16.3	57.1	W-D
27/32"	0.162	21.4	70.4	W-D
7/8"	0.105	22.2	79.7	W-I
7/8"	0.120	22.2	77.3	W-H
7/8"	0.135	22.2	75.1	W-H
7/8"	0.148	22.2	73.5	W-H
7/8"	0.162	22.2	71.2	W-H
7/8"	0.177	22.2	69.2	W-SD

OPEN	WIRE DIA	MM	% OPEN AREA	CRIMP TYPE
11/16"	0.120	17.5	72.5	W-D
11/16"	0.135	17.5	69.9	W-D
11/16"	0.148	17.5	67.7	W-D
11/16"	0.162	17.5	65.5	W-D
11/16"	0.177	17.5	63.2	W-D
11/16"	0.192	17.5	61.1	P-S
11/16"	0.207	17.5	59.1	W-D
11/16"	0.225	17.5	56.8	W-D
11/16"	0.250	17.5	53.8	W-D
11/16"	0.312	17.5	47.3	P-S
23/32"	0.162	18.3	66.6	W-H
23/32"	0.177	18.3	64.4	W-D
23/32"	0.192	18.3	62.3	W-D
23/32"	0.207	18.3	60.3	W-D
23/32"	0.225	18.3	58	W-D
3/4"	0.063	19.1	85.1	W-I
3/4"	0.092	19.1	79.3	W-I
3/4"	0.105	19.1	76.9	W-H
3/4"	0.120	19.1	74.3	W-H
3/4"	0.135	19.1	71.8	W-H
3/4"	0.148	19.1	69.8	W-H
3/4"	0.162	19.1	67.6	W-H
3/4"	0.177	19.1	65.5	W-H
3/4"	0.192	19.1	63.4	W-D
3/4"	0.207	19.1	61.4	W-D
3/4"	0.225	19.1	59.2	W-D
3/4"	0.250	19.1	56.3	WS/WD/PS
3/4"	0.312	19.1	49.8	P-S
25/32"	0.207	19.8	62.5	W-SD
13/16"	0.120	20.6	75.9	W-I
13/16"	0.148	20.6	71.6	W-H
13/16"	0.162	20.6	69.5	W-D
13/16"	0.177	20.6	67.4	W-D
13/16"	0.192	20.6	65.4	W-D
13/16"	0.207	20.6	63.5	W-D
13/16"	0.225	20.6	61.3	W-D
13/16"	0.250	20.6	58.5	W-D
13/16"	0.312	20.6	52.2	P-S
13/16"	0.375	20.6	46.8	P-S
1 1/8"	0.162	28.6	76.4	W-I
1 1/8"	0.177	28.6	74.7	W-I
1 1/8"	0.192	28.6	73	P-S
1 1/8"	0.207	28.6	71.3	P-S
1 1/8"	0.225	28.6	69.4	P-S
1 1/8"	0.250	28.6	66.9	WS/WD/PS
1 1/8"	0.312	28.6	61.2	WS/WD/PS
1 1/8"	0.375	28.6	56.3	P-S



PO Box 4647 Lancaster, PA 17604
 (717) 394-6871 Fax: (717) 394-1640
 www.hoytwirecloth.com

HOYT
 WIRE CLOTH

The *Shape*
 of things to come™

W-WHEEL
 P-PRESS
 D-DOUBLE CRIMP
 I-INNER CRIMP
 H-HI-LOW CRIMP
 S-SMOOTH TOP

CODE: 1 SUPERTOUGH SQUARE SCREENS
 4 SUPERTOUGH SQUARE STOCK SCREENS
 5 STAINLESS STEEL SQUARE SCREENS

OPEN	WIRE DIA		% OPEN AREA	CRIMP TYPE
7/8"	0.192	22.2	67.2	W-SD/P-S
7/8"	0.207	22.2	65.3	W-SD
7/8"	0.225	22.2	63.3	W-D
7/8"	0.250	22.2	60.5	WS/WD/PS
7/8"	0.312	22.2	54.3	P-S
7/8"	0.375	22.2	49	P-S
15/16"	0.120	23.8	78.6	W-I
15/16"	0.148	23.8	74.6	W-I
15/16"	0.177	23.8	70.8	W-D
15/16"	0.192	23.8	69.9	W-H
15/16"	0.207	23.8	67.1	W-H
15/16"	0.225	23.8	65	P-S
15/16"	0.250	23.8	62.3	P-S
15/16"	0.312	23.8	56.3	P-S
15/16"	0.375	23.8	51	P-S
1"	0.063	25.4	88.5	W-I
1"	0.092	25.4	83.9	W-I
1"	0.105	25.4	81.9	W-I
1"	0.120	25.4	79.7	W-I
1"	0.135	25.4	77.6	W-H
1"	0.148	25.4	75.9	W-H
1"	0.162	25.4	74	W-H
1"	0.177	25.4	72.2	W-H
1"	0.192	25.4	70.4	W-H
1"	0.207	25.4	68.6	W-H
1"	0.225	25.4	66.6	W-D
1"	0.250	25.4	64	WS/WD/PS
1"	0.312	25.4	58	WS/WD/PS
1"	0.375	25.4	52.9	P-S
1 1/16"	0.135	27	78.7	W-I
1 1/16"	0.162	27	75.3	W-I
1 1/16"	0.192	27	71.7	P-S
1 1/16"	0.207	27	70	P-S
1 1/16"	0.225	27	68.1	P-S
1 1/16"	0.250	27	65.5	P-S
1 1/16"	0.312	27	59.8	P-S
1 1/16"	0.375	27	54.6	P-S
1 1/2"	0.120	38.1	85.7	W-I
1 1/2"	0.135	38.1	84.2	W-I
1 1/2"	0.148	38.1	82.8	W-I
1 1/2"	0.162	38.1	81.5	W-I
1 1/2"	0.177	38.1	80	W-I
1 1/2"	0.192	38.1	78.6	W-I
1 1/2"	0.207	38.1	77.2	P-S
1 1/2"	0.225	38.1	75.6	P-S
1 1/2"	0.250	38.1	73.4	WS/WD/PS
1 1/2"	0.312	38.1	68.5	WS/WD/PS
1 1/2"	0.375	38.1	64	W-S/P-S
1 1/2"	0.437	38.1	59.9	P-S
1 1/2"	0.500	38.1	56.3	P-S
1 9/16"	0.250	39.8	74.3	P-S

OPEN	WIRE DIA	MM	% OPEN AREA	CRIMP TYPE
1 3/16"	0.225	30.2	70.7	P-S
1 3/16"	0.250	30.2	68.2	P-S
1 3/16"	0.312	30.2	62.7	P-S
1 3/16"	0.375	30.2	57.8	P-S
1 1/4"	0.120	31.8	83.2	W-I
1 1/4"	0.135	31.8	81.5	W-I
1 1/4"	0.148	31.8	79.9	W-I
1 1/4"	0.162	31.8	78.4	W-I
1 1/4"	0.177	31.8	76.7	W-I
1 1/4"	0.192	31.8	75.1	P-S
1 1/4"	0.207	31.8	73.6	P-S
1 1/4"	0.225	31.8	71.8	P-S
1 1/4"	0.250	31.8	69.4	WS/WD/PS
1 1/4"	0.312	31.8	64	WS/WD/PS
1 1/4"	0.375	31.8	59.2	WS/PS
1 1/4"	0.437	31.8	54.8	P-S
1 5/16"	0.250	7.9	70.6	P-S
1 5/16"	0.312	7.9	65.3	P-S
1 5/16"	0.375	7.9	60.5	P-S
1 5/16"	0.437	7.9	56.3	P-S
1 3/8"	0.135	34.9	82.9	W-I
1 3/8"	0.192	34.9	77	W-I
1 3/8"	0.207	34.9	75.6	P-S
1 3/8"	0.225	34.9	73.8	P-S
1 3/8"	0.250	34.9	71.6	P-S
1 3/8"	0.312	34.9	66.4	P-S
1 3/8"	0.375	34.9	61.7	P-S
1 3/8"	0.437	34.9	57.6	P-S
1 3/8"	0.500	34.9	53.8	P-S
1 7/16"	0.192	36.5	77.8	W-I
1 7/16"	0.250	36.5	72.6	P-S
1 7/16"	0.312	36.5	67.5	P-S
1 7/16"	0.375	36.5	62.9	P-S
1 7/16"	0.437	36.5	58.8	P-S
1 7/16"	0.500	36.5	55	P-S
1 7/8"	0.225	47.6	79.7	W-I
1 7/8"	0.250	47.6	77.8	P-S
1 7/8"	0.312	47.6	73.4	P-S
1 7/8"	0.375	47.6	69.5	P-S
1 7/8"	0.437	47.6	63.2	P-S
1 7/8"	0.500	47.6	62.3	P-S
1 7/8"	0.625	47.6	56.3	P-S
1 15/16"	0.312	49.2	74.2	P-S
1 15/16"	0.375	49.2	70.2	P-S
1 15/16"	0.437	49.2	66.6	P-S
1 15/16"	0.500	49.2	63.2	P-S
2"	0.135	50.8	87.8	W-I
2"	0.162	50.8	85.6	W-I



PO Box 4647 Lancaster, PA 17604
 (717) 394-6871 Fax: (717) 394-1640
 www.hoytwirecloth.com

HOYT
 WIRE CLOTH

The *Shape*
 of things to come™

W-WHEEL
 P-PRESS
 D-DOUBLE CRIMP
 I-INNER CRIMP
 H-HI-LOW CRIMP
 S-SMOOTH TOP

CODE: 1 SUPERTOUGH SQUARE SCREENS
 4 SUPERTOUGH SQUARE STOCK SCREENS
 5 STAINLESS STEEL SQUARE SCREENS

OPEN	WIRE DIA	MM	% OPEN AREA	CRIMP TYPE
1 9/16"	0.312	39.8	69.5	P-S
1 9/16"	0.375	39.8	65	P-S
1 9/16"	0.437	39.8	61.1	P-S
1 9/16"	0.500	39.8	57.4	P-S
1 5/8"	0.192	41.3	80	W-I
1 5/8"	0.207	41.3	78.7	P-S
1 5/8"	0.225	41.3	77.1	P-S
1 5/8"	0.250	41.3	75.2	W-S/P-S
1 5/8"	0.312	41.3	70.1	W-S/P-S
1 5/8"	0.375	41.3	65.9	P-S
1 5/8"	0.437	41.3	62.1	P-S
1 5/8"	0.500	41.3	58.5	P-S
1 11/16"	0.312	42.9	71.2	P-S
1 11/16"	0.375	42.9	66.9	P-S
1 3/4"	0.162	44.5	83.8	W-I
1 3/4"	0.192	44.5	71.2	W-I
1 3/4"	0.207	44.5	80	P-S
1 3/4"	0.225	44.5	78.5	P-S
1 3/4"	0.250	44.5	76.6	P-S
1 3/4"	0.312	44.5	71.9	WS/PS
1 3/4"	0.375	44.5	67.8	WS/PS
1 3/4"	0.437	44.5	64	P-S
1 3/4"	0.500	44.5	60.5	P-S
1 13/16"	0.192	46	81.8	
1 13/16"	0.312	46	72.8	P-S
1 13/16"	0.437	46	64.9	P-S
2 3/8"	0.250	60.3	81.9	P-S
2 3/8"	0.312	60.3	78.1	P-S
2 3/8"	0.375	60.3	74.6	P-S
2 3/8"	0.437	60.3	71.3	P-S
2 3/8"	0.500	60.3	68.2	P-S
2 3/8"	0.625	60.3	62.7	P-S
2 7/16"	0.375	61.9	75.1	P-S
2 7/16"	0.500	61.9	68.9	P-S
2 1/2"	0.192	63.5	86.2	W-I
2 1/2"	0.225	63.5	84.2	P-S
2 1/2"	0.250	63.5	82.6	P-S
2 1/2"	0.312	63.5	79	P-S
2 1/2"	0.375	63.5	75.6	P-S
2 1/2"	0.437	63.5	72.4	P-S
2 1/2"	0.500	63.5	69.4	P-S
2 1/2"	0.625	63.5	64	P-S
2 1/2"	0.750	63.5	59.2	P-S
2 9/16"	0.375	65.1	76.1	P-S
2 9/16"	0.500	65.1	70	P-S

OPEN	WIRE DIA	MM	% OPEN AREA	CRIMP TYPE
2"	0.192	50.8	83.2	W-I
2"	0.207	50.8	82.1	P-S
2"	0.225	50.8	80.8	P-S
2"	0.250	50.8	79	P-S
2"	0.312	50.8	74.8	WS/PS
2"	0.375	50.8	70.9	WS/PS
2"	0.437	50.8	67.3	P-S
2"	0.500	50.8	64	P-S
2"	0.625	50.8	58	P-S
2 1/16"	0.375	52.3	71.6	P-S
2 1/16"	0.500	52.3	64.8	P-S
2 1/8"	0.250	53.9	70.1	P-S
2 1/8"	0.312	53.9	76	P-S
2 1/8"	0.375	53.9	72.3	P-S
2 1/8"	0.437	53.9	68.8	P-S
2 1/8"	0.500	53.9	65.5	P-S
2 1/8"	0.625	53.9	59.7	P-S
2 3/16"	0.312	55.5	76.6	P-S
2 3/16"	0.500	55.5	66.3	P-S
2 3/16"	0.625	55.5	60.5	P-S
2 1/4"	0.250	57.1	71	P-S
2 1/4"	0.312	57.1	77.1	P-S
2 1/4"	0.375	57.1	73.4	P-S
2 1/4"	0.437	57.1	70.1	P-S
2 1/4"	0.500	57.1	66.9	P-S
2 1/4"	0.625	57.1	61.2	P-S
2 1/4"	0.750	57.1	56.2	P-S
2 5/16"	0.375	58.7	74	P-S
3"	0.135	76.2	91.6	W-I
3"	0.162	76.2	90	W-I
3"	0.192	76.2	88.3	W-I
3"	0.207	76.2	87.5	W-I
3"	0.250	76.2	85.2	P-S
3"	0.312	76.2	82	P-S
3"	0.375	76.2	79	P-S
3"	0.437	76.2	76.2	P-S
3"	0.500	76.2	73.5	P-S
3"	0.625	76.2	68.5	P-S
3"	0.750	76.2	64	P-S
3 1/16"	0.500	77.8	73.9	P-S
3 1/16"	0.625	77.8	69	P-S
3 1/8"	0.500	79.4	74.3	P-S
3 1/8"	0.625	79.4	69.4	P-S
3 3/16"	0.437	81.0	77.3	P-S
3 1/4"	0.250	82.6	86.2	P-S
3 1/4"	0.375	82.6	80.4	P-S



PO Box 4647 Lancaster, PA 17604
 (717) 394-6871 Fax: (717) 394-1640
 www.hoytwirecloth.com

HOYT
 WIRE CLOTH

The *Shape*
 of things to come™

W-WHEEL
 P-PRESS
 D-DOUBLE CRIMP
 I-INNER CRIMP
 H-HI-LOW CRIMP
 S-SMOOTH TOP

CODE: 1 SUPERTOUGH SQUARE SCREENS
 4 SUPERTOUGH SQUARE STOCK SCREENS
 5 STAINLESS STEEL SQUARE SCREENS

OPEN	WIRE DIA	MM	% OPEN AREA	CRIMP TYPE
2 5/8"	0.375	66.7	76.6	P-S
2 5/8"	0.437	66.7	73.5	P-S
2 5/8"	0.500	66.7	70.6	P-S
2 5/8"	0.625	66.7	65.2	P-S
2 3/4"	0.250	69.9	84	P-S
2 3/4"	0.312	69.9	80.6	P-S
2 3/4"	0.375	69.9	77.4	P-S
2 3/4"	0.437	69.9	74.4	P-S
2 3/4"	0.500	69.9	71.6	P-S
2 3/4"	0.625	69.9	66.4	P-S
2 3/4"	0.750	69.9	61.7	P-S
2 7/8"	0.250	73	84.6	P-S
2 7/8"	0.375	73	78.3	P-S
2 7/8"	0.437	73	75.4	P-S
2 7/8"	0.500	73	72.6	P-S
2 7/8"	0.625	73.000	67.5	P-S
2 15/16"	0.312	74.6	81.7	P-S
2 15/16"	0.375	74.6	78.6	P-S
3 15/16"	0.500	100.1	78.7	P-S
4"	0.135	101.6	93.6	W-I
4"	0.177	101.6	91.7	W-I
4"	0.192	101.6	91	W-I
4"	0.207	101.6	90.4	W-I
4"	0.250	101.6	88.6	P-S
4"	0.312	101.6	86.1	P-S
4"	0.375	101.6	83.6	P-S
4"	0.437	101.6	81.3	P-S
4"	0.500	101.6	79	P-S
4"	0.625	101.6	74.8	P-S
4"	0.750	101.6	70.9	P-S
4 1/8"	0.437	104.8	81.8	P-S
4 1/8"	0.625	104.8	75.4	P-S
4 1/4"	0.250	107.9	89.2	I-C
4 1/4"	0.375	107.9	84.4	P-S
4 1/4"	0.437	107.9	82.2	P-S
4 1/4"	0.500	107.9	80.1	P-S
4 1/4"	0.625	107.9	76	P-S
4 3/8"	0.625	111.1	76.6	P-S
4 1/2"	0.375	114.3	85.2	P-S
4 1/2"	0.500	114.3	81	P-S
4 1/2"	0.625	114.3	77.1	P-S
4 1/2"	0.750	114.3	73.5	P-S

OPEN	WIRE DIA	MM	% OPEN AREA	CRIMP TYPE
3 1/4"	0.437	82.6	77.6	P-S
3 1/4"	0.500	82.6	75	P-S
3 1/4"	0.624	82.6	70.3	P-S
3 1/4"	0.750	82.6	66	P-S
3 3/8"	0.375	85.7	81	P-S
3 3/8"	0.625	85.7	71.2	P-S
3 1/2"	0.192	88.9	89.9	P-S
3 1/2"	0.250	88.9	87.1	P-S
3 1/2"	0.375	88.9	81.6	P-S
3 1/2"	0.437	88.9	79	P-S
3 1/2"	0.500	88.9	76.6	P-S
3 1/2"	0.625	88.9	72	P-S
3 1/2"	0.750	88.9	67.8	P-S
3 5/8"	0.500	92.1	77.2	P-S
3 3/4"	0.375	95.3	82.6	P-S
3 3/4"	0.437	95.3	80.2	P-S
3 3/4"	0.500	95.3	77.9	P-S
3 3/4"	0.625	95.3	73.5	P-S
3 3/4"	0.750	95.3	69.4	P-S
3 7/8"	0.437	98.4	80.8	P-S
3 7/8"	0.625	98.4	74.2	P-S
5 3/8"	0.625	136.5	80.3	P-S
5 1/2"	0.500	139.7	84	P-S
5 1/2"	0.625	139.7	80.6	P-S
5 1/2"	0.750	139.7	77.4	P-S
5 3/4"	0.500	146	84.6	P-S
5 3/4"	0.750	146	78.3	P-S
6"	0.192	152.4	93.9	W-I
6"	0.250	152.4	92.2	W-I
6"	0.500	152.4	85.2	P-S
6"	0.625	152.4	82	P-S
6"	0.750	152.4	79	P-S
6 1/4"	0.625	158.7	82.6	P-S
6 1/2"	0.625	165.1	83.2	P-S
6 1/2"	0.750	165.1	80.4	P-S
7"	0.625	177.8	84.3	P-S
7"	0.750	177.8	81.6	P-S
7 3/4"	0.750	196.8	93.6	P-S
8"	0.750	203.2	87.4	P-S
9"	0.625	228.6		P-S



HOYT
WIRE CLOTH

PO Box 4647 Lancaster, PA 17604
(717) 394-6871 Fax: (717) 394-1640
www.hoytwirecloth.com

The *Shape*
of things to come™

W-WHEEL
P-PRESS
D-DOUBLE CRIMP
I-INNER CRIMP
H-HI-LOW CRIMP
S-SMOOTHTOP

CODE: 1 SUPERTOUGH SQUARE SCREENS
4 SUPERTOUGH SQUARE STOCK SCREENS
5 STAINLESS STEEL SQUARE SCREENS

OPEN	WIRE DIA	MM	% OPEN AREA	CRIMP TYPE
4 3/4"	0.250	120.6	90.3	P-S
4 3/4"	0.375	120.6	85.9	P-S
4 3/4"	0.500	120.6	81.9	P-S
4 3/4"	0.625	120.6	78.1	P-S
4 3/4"	0.750	120.6	74.6	P-S
5"	0.375	127	86.5	P-S
5"	0.437	127	84.6	P-S
5"	0.500	127	82.6	P-S
5"	0.625	127	79	P-S
5"	0.750	127	75.6	P-S
5 1/4"	0.500			P-S
5 1/4"	0.625			P-S

OPEN	WIRE DIA	MM	% OPEN AREA	CRIMP TYPE
------	----------	----	-------------	------------

